W

,	Application No. Applicant(s)		
Notice of Allowability	10/728,901	IKEDA ET AL.	
	Examiner	Art Unit	-
	Christine Sung	2884	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commu GHTS. This application is so	this application. If not include nication will be mailed in due of	d course. THIS
1. \boxtimes This communication is responsive to <u>5/22/06</u> .			
2. 🔀 The allowed claim(s) is/are <u>1-20</u> .			
3. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	been received. been received in Application cuments have been received of this communication to file	n No I in this national stage applicati	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			OTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the processing of the sheet in the processing of the sheet in th	on's Patent Drawing Review . s Amendment / Comment or .84(c)) should be written on th	in the Office action of ne drawings in the front (not the	back) of
DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT .	sit of BIOLOGICAL MATE FOR THE DEPOSIT OF BIC	ERIAL must be submitted. N DLOGICAL MATERIAL.	ote the
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview St Paper No./ 98), 7. Examiner's	formal Patent Application (PTC ummary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Allo	·

Response to Amendment

- 1. The amendment filed on May 22, 20006 has been accepted and entered.
- 2. The new drawings filed on May 22, 2006 have been accepted and entered.

Allowable Subject Matter

- 3. Claims 1-20 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

Regarding the claims, none of the prior art of record explicitly discloses or makes obvious, a flat panel x-ray detector, namely the specific lamination structure of the x-ray conversion film such that each of the layers of metal halide films are laminated along the c-axis of a hexagonal crystal structure, that the layers differ in bad gap from one another, that the halogen atoms in the metal halide films are the same kind, and that the layers have about the same lattice constant, along with the other claimed features. Although references such as Ikeda (cited in prior office action), disclose a similar structure, the metal halide film uses amorphous materials, which do not have a crystalline structure, and therefore cannot be laminated along the c-axis.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2884

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christine Sung whose telephone number is 571-272-2448. The examiner can normally be reached on Monday- Friday 7-3 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Porta can be reached on 571-272-2444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Christine Sung Examiner Art Unit 2884

CS

DAVID PORTA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800

NEW DRAWING SHEET



ok to enter 5/26/06.

Bil3 crystal structure

